


## VISUAL PRECISION, INC.

Madison Heights., Michigan
Phone 248.546.7984 Fax 248.546.7986
Website http://www.vpcharts.com

### Optical Comparator Charts, Scales, Fixtures & Accessories



ISO 9001 Registered

Our products are designed to assist you in realizing the maximum potential from your visual inspection system. Most standard products you will find in our catalog can be customized to meet your requirements. We offer various levels of certification for these products.

We can also help in the certification and inspection of most any precision measuring instrument.





#### STANDARD CERTIFICATION SERVICES and DOCUMENTS

We offer four standard levels of certification.

#### Level 1 - GENERAL CERTIFICATE OF CONFORMANCE

This is our basic certificate and is issued with every item shipped. No serial numbers or actual measurements are stated on the certificate.

#### Level 2 - CERTIFICATE OF ACCURACY - Short Form

This certificate is provided for a product that has been inspected visually to ensure that its accuracy is within the value stated on the certificate. A serial number is assigned and is placed on the document and the product. Call for pricing.

#### Level 3 - CERTIFICATE OF ACCURACY - Long Form

This certificate is provided for a product that has been inspected with a measurement device. A deviation report is generated detailing point by point inspection of relevant features per the engineering drawing. A serial number is assigned and is placed on the document and the product. The charge for this service is based on the item inspected. Please call for a quotation.

#### Level 4 - CERTIFICATE OF ACCURACY - 3RD Party Inspection

This certificate is provided for a product that has been inspected with a measurement device. A deviation report is generated detailing point by point inspection of relevant features per the engineering drawing. A serial number is assigned and is placed on the document and the product. A third party inspection report is provided. This report documents additional information specified in the IEC/ISO 17025:1999(E) requirement booklet. The charge for this service is based on the item inspected. Please call for a quotation.

#### CUSTOM CERTIFICATION SERVICES and DOCUMENTS

Visual Precision can also help you in the certification and inspection of most any precision measuring instrument. We have certified customer supplied charts, scales, reticles, stage micrometers, graticles, loupes, calibration targets, etc. Please call to let us know what you need inspected and/or certified. We will be happy to provide a quotation.

### **TABLE OF CONTENTS**


Certification Services
Centerline Screens
General Screens and Charts
Protractor Screens and Charts
Thread Form Charts
Hand Held Discs
Layout & Measuring Scales
Custom Comparator Charts
Custom Comparator Gaging Systems
Comparator Fixtures
Precision Scales & Calibration References
Custom Sight Gages
Lamps and Lightbulbs for Optical Comparators
Ordering Information
Order Form Blank






# Centerline Screens

(Glass Only)




- \* Standard glass centerline screens are basic for any optical comparator.
- \* Protractor rings can be added to any screen.
- \* Other angular line combinations are available upon request.
- \* Screens can be ordered with solid or colored lines if desired.

# Centerline Screens (Glass Only)




- \* Protractor rings can be added to any screen.
- \* Other angular line combinations are available upon request.
- \* Glass rectangular block screens available in all diameters up to and including 30.75" diameter.

### **General Screens and Charts**




**Combination Radius - Grid Chart** 

Magnification		10 X	20 X	25 X	31.25 X	50 X	62.5 X	100 X
Inch	Increments	.005	.002 .0025	.002	.001	.001	.001	.0005
		10	L 05	0.1	0.4 mm	00	00	01




**Grid Chart** 

Mag	Magnification		20 X	25 X	31.25 X	50 X	62.5 X	100 X
Inch Increments		.005	.002	.002	.001	,001	.001	.0005
Metric	Increments	.10mm	.05mm	.04mm	.04mm	.02mm	.02mm	.01mm




360° Radius Chart

Mag	Magnification		20X	25X	31.25X	50X	62.5X	100X
Inch	Increments	.010	.005	.004	.004	.002 .0025	.002	.001
Metric	Increments	.20mm	.10mm	.08mm	.04mm	.04mm	.02mm	.02mm



rt 001 Increments Progressive In Each Quadrant

	nification	10X	20X		31.25X		_	
Inch	Increments	.001	.001	.001	.001	.001	.001	,001
Metric	Increments	.025mm						



Radius Chart 360° 15° 30° 45° 60° 75° Angles

Mag	Magnification		20X	25X	31.25X	50X	62.5X	100X
Inch	Increments	.005	.002	.002	,002	.001	.001	.0005
Metric	Increments	.20mm	.10mm	.08mm	.04mm	.04mm	.02mm	.02mn



Radiu	s Chart 3	60° Combi	nation	4 Ma	agnific	cations	On Chart
	Mag	nification	10X	20X	50X	100X	
	Inch	Increments	.010	.005	.002	.001	
	Metric	Increments	.20mm	.10mm	.04mm	.02mm	

No. 6

### **General Screens and Charts**

(Glass or Plastic)


(Glass or Plastic)

(Glass or Plastic)

(Recommendation of the content of th


#### Radius Chart 360° Combination 2 Magnifications On Chart

Magnification		31.25X	62.5X		31.25X	62.5X	
Inch	Increments	.004	.002	Or	.002	.001	
Metric	Increments	.08mm	.04mm	Or	.04mm	.02mm	



#### 180° Radius Chart


Magnification		10X	20X	25X	31.25X	50X	62.5X	100X
Inch	Increments	.010	.005	.004	.004	.002 .0025	.002	.001
Metric	Increments	.20mm	.10mm	.08mm	.04mm	.04mm	.02mm	.02mm



#### 180° Radius Chart With 30° And 45° Angles


	o manao	O.I.u.						
Mag	nification	10X	20X	25X	31.25X	50X	62.5X	100X
Inch	Increments	.010	.005	.004	.004	.002	.002	.001
Metric	Increments	.20mm	.10mm	.08mm	.04mm	.04mm	.02mm	.02mm

4 MAGNIFICATIONS AVAILABLE ON SAME CHART IF DESIRED, 10X, 20X, 50X, 8 100X.




Radius Chart - All Magnification

Magnification		10 X	20 X	31.25 X	50 X	62.5 X	100 X	
Inch	Increments	.010	.005	.002	.002	.001	.001	
Metric	Increments	.20mm	.10mm	.04mm	.04mm	.02mm	.02mm	



#### Combination Radius And Angle Chart

Magnification		10X	20X	25X	31.25X	50X	62.5X	100X
Inch	Increments	.010	.005	.004	.004	.002	.002	.001
Metric	Increments	.20mm	.10mm	.08mm	.04mm	.04mm	.02mm	.02mm




Fillet Chart — 90° Arcs

Magnification		10X	20X	25X	31.25X	50X	62.5X	100X
Inch	Increments	.010	.005	.004	.002	.002	.001	.001
Metric	Increments	.20mm	.10mm	.08mm	.04mm	.04mm	.02mm.	.02mn

## Protractor Screens

(Glass Only)




### No. 15

Marked every 5 degrees graduated every 30 minutes; "0" to 360 degrees shown. Available in all diameters up to and including 30.75" diameter.

No. 16

Marked every 5 degrees graduated every degree; "0" to 360 degrees shown. Available in all diameters up to and including 30.75" diameter.



No. 17


Marked every 5 degrees graduated every degree; "0" to 90 degree quadrants. Available in all diameters up to and including 30.75" diameter.

Combination Radius - Grid Chart with Protractor Ring

Mag	Magnification		20 X	25 X	31.25 X	50 X	62.5 X	100 X
Inch	Increments	.005	.002 .0025	.002	.001	.001	.001	.0005
Metric	Increments	10mm	.05mm	.04mm	.04mm	.02mm	.02mm	.01mm

### **Protractor & Radius Charts**

(Glass or Plastic)




### No. 20

Marked every 10 degrees, graduated every degree. Available in all diameters up to and including 30.75" diameter.



Marked every 5 degrees, graduated every 30 minutes. Available in all diameters up to and including 30.75" diameter.





No. 25

Small radius charts available up to 14.5" diameter.

Da	ilbi	 CL	-4

Mag	Magnification		20 X	25 X	31.25 X	50 X	62.5 X	100 X
Inch	Increments	.010	.005	.004	.002	.002	.001	.001
Metric	Increments	.20mm	.10mm	.08mm	.04mm	.04mm	.02mm	.02mm

No. 26


Large radius charts available in most sizes.

Large Radius Charts\*


INCH								
Mag.	Increments	Min Max. R.	Range					
10 X	.005	.500 - 1.800	1.300					
20 X	.002	.250900	.650					
25 X	.002	.200720	.520					
31.25 X	.002	.160576	.416					
50 X	.001	.100360	.260					
62.5 X	.001	.080288	.208					
100 X	.0005	.050180	.130					

Mag.	Increments	Min Max. R.	Range
10 X	.10 mm	12.5 - 46.0	33.5
20 X	.05 mm	6.25 - 23.0	16.75
25 X	.04 mm	5.0 - 18.4	13.4
31.25 X	.04 mm	4.0 - 14.8	10.8
50 X	.02 mm	2.5 - 9.2	6.7
62.5 X	.02 mm	2.0 - 7.4	5.4
100 X	.01 mm	1.25 - 4.6	3.35

<sup>\*</sup> Size range is based on 14" diameter (range is greater on larger diameters)




### **Thread Form Charts**




#### **American National Basic Thread Form**

For checking thread angles, root and crest-forms and depth, from 4 to 80 pitch threads, as defined in the Federal Standard Handbook H-28.




#### **ISO Metric Screw Threads**

For checking thread angles, root and crest-forms and depth, from .25 to 6.0 mm pitch threads, as defined in the 1978 edition to Federal Standard H-28. Also available in same format as chart no. 36 (single pitch threads).




#### **ISO Taper Pipe Threads**

For rapid checking of thread form, lead, taper, truncation, and included angle.




#### **Unified Basic Thread Form**

For checking thread angles, root and crest-forms and depth, from 4 to 80 pitch threads, as defined in the 1978 edition of Federal Standard H-28.



### UNJ Basic Thread Form, Military Spec. 8879A

For checking thread angles, root and crest-forms and depth, from 4 to 80 pitch threads, as defined in the 1973 Military Specification Manual MIL-S-8879A. also available in same format as chart no. 36 (single pitch threads).




#### American National Form Taper Pipe Thread

For rapid checking of thread form, lead, taper, etc., as defined in National Bureau of Standards Handbook H-28.

Visual Precision specializes in custom thread charts. Please specify your requirements. A minimum magnification of 20X is strongly recommended for all thread charts.


### **Hand Held Discs**





		Rad	ius Cl	hecke	r			
Mag	nification	10 X	20 X	25 X	31.25 X	50 X	62.5 X	100 X
Inch	Increments	.010	.005	.004	.002	.002	.001	.001
Metric	Increments	.20mm	.10mm	.08mm	.10mm	.04mm	.05mm	.02mm


### ALL DISCS HAVE THESE FEATURES:

- \* Image on the bottom side, eliminating parallex
- \* Clear plastic material
- \* (2) knobs located on sides
- \* 7" diameter X 1/8" thick









Fillet & Chamfer Checkers


Mag	Magnification		20 X	31.25 X	50 X	62.5 X	100 X	
Inch	Increments	.001	.001	.001	.0005	.0005	.0005	
Metric	Increments	.02mm	.02mm	02mm	01mm	01mm	01 mm	

### **Layout & Measuring Scales**

No. 38 Two Magnification Scale

Combinations	Incre	ments	7		(	Catalog I	Numbers	3			
of	Ava	ilable	8"	12"	18"	24"	8"	12"	18"	24"	
Magnifications	INCH	METRIC		Gla	Glass			Plastic			
10X - 20X	.00500010	.10mm05mm	38100	38200	38300	38400	38600	38700	38800	38900	
10X - 25X	.00500010	.10mm04mm	38101	38201	38301	38401	38601	38701	38801	38901	
10X - 31.25X	.00500010	.10mm04mm	38102	38202	38302	38402	38602	38702	38802	38902	
10X - 50X	.00500005	.10mm02mm	38103	38203	38303	38403	38603	38703	38803	38903	
10X - 62.5X	.00500005	.10mm02mm	38104	38204	38304	38404	38604	38704	38804	38904	
10X - 100X	.00500005	.10mm01mm	38105	38205	38305	38405	38605	38705	38805	38905	
20X - 25X	.00100010	.05mm04mm	38106	38206	38306	38406	38606	38706	38806	38906	
20X - 31.25X	.00100010	.05mm04mm	38107	38207	38307	38407	38607	38707	38807	38907	
20X - 50X	.00100005	.05mm02mm	38108	38208	38308	38408	38608	38708	38808	38908	
20X - 62.5 X	.00100005	.05mm02mm	38109	38209	38309	38409	38609	38709	38809	38909	
20X - 100X	.00100005	.05mm01mm	38110	38210	38310	38410	38610	38710	38810	38910	
25X - 31.25X	.00100010	.04mm04mm	38111	38211	38311	38411	38611	38711	38811	38911	
25X - 50X	.00100005	.04mm02mm	38112	38212	38312	38412	38612	38712	38812	38912	
25X - 62.5 X	.00100005	.04mm02mm	38113	38213	38313	38413	38613	38713	38813	38913	
25X - 100X	.00100005	.04mm01mm	38114	38214	38314	38414	38614	38714	38814	38914	
31,25X - 50 X	.00100005	.04mm02mm	38115	38215	38315	38415	38615	38715	38815	38915	
31.25X - 62.5X	.00100005	.04mm02mm	38116	38216	38316	38416	38616	38716	38816	38916	
50X - 62.5X	.00050005	.02mm02mm	38117	38217	38317	38417	38617	38717	38817	38917	
50X - 100 X	.00050005	.02mm01mm	38118	38218	38318	38418	38618	38718	38818	38918	
100X - 31.25X	.00050010	.01mm04mm	38119	38219	38319	38419	38619	38719	38819	38919	

No. 39 Standard Multi-Magnification Scale



		Catalog Numbers										
Unit of	8"	12"	18"	24"	8"	12"	18"	24"				
Measure		GI	ass			Pla	Plastic					
INCH	3901	3902	3903	3904	3906	3907	3908	3909				
METRIC	3911	3912	3913	3914	3916	3917	3918	3919				

Magnification	Increments					
	INCH	METRIC				
10X	.00200	.100 mm				
20X	.00100	.050 mm				
31.25X	.00100	.050 mm				
50X	.00050	.020 mm				
62.5X	.00050	.025 mm				
100X	00025	.010 mm				

### ALL SCALES HAVE THESE FEATURES:

- \* Ruled lines on the bottom side, eliminating parallax
- \* Glass or Plastic material
- \* (2) knobs located at both ends
- \* Glass thickness of 1/4"
- \* Plastic thickness of 3/16"
- \* Optional cases

No. 40 Multi-Magnification Scale



11.000	Catalog Numbers										
Unit of	8"	12"	18"	24"	8"	12"	18"	24"			
		GI	ass		Plastic						
INCH	4001	4002	4003	4004	4006	4007	4008	4009			
METRIC	4011	4012	4013	4014	4016	4017	4018	4019			

Magnification	Increments			
	INCH	METRIC		
10X	.0020	.100 mm		
20X	.0010	.050 mm		
25X	.0010	.040 mm		
31.25X	.0010	.050 mm		
50X	.0005	.020 mm		
62.5X	.0005	.025 mm		




Simplify checking of complex production parts.

A custom comparator chart can solve a lot of problems quickly and inexpensively. Our design group has been creating "Special Application" charts for over 35 years. We can design and manufacture a comparator chart dedicated to your part and perfectly suited to your checking application.

We can create a chart from your part drawing or electronic CAD file. Features can include multiple views, graphic & numerical tolerances, datums, and theoreticals. The electronic files for charts are maintained for easy and inexpensive duplication and/or modification when a revision crops up. To enhance handling of your parts, we can also design and manufacture dedicated holding fixtures that are coordinated with your custom chart. See page 11 for details.

A Visual Precision custom comparator chart can help you simplify a complex inspection job for your quality system.




FACE No. 903- 23440 FASE No. 55078-3 SO - MANAGEMENT


### **Custom Comparator Gaging Systems**

The perfect Go/NoGo Gaging System

When you need a dedicated gage for fast floor inspection without the expense and excessive lead time of a special gage or checking fixture, Visual Precision can help. We can design a complete comparator gaging system that is fast, accurate and easy to use.




A sample of a dedicated holding fixture for precise and easy part alignment.




In large production runs, inspection speed is critical. Visual Precision can design a custom comparator system consisting of a dedicated fixture and a comparator chart configured to your exact requirements to meet the demanding needs of production checking.

A custom comparator gaging system allows the operator to see the total tolerance envelope and instantly determine conformity of the part to specifications at a fraction of the cost of hard gaging.



### **Comparator Fixtures**

### Standard & Custom Solutions for most any kind of part



### Fixture Kit


The fixture kit includes a base and several accessories ready to use for holding a variety of small parts.

Box is lined and padded for safe storage.




### **Rotary Vise Fixture**

This fixture is designed to work without modification and without additional accessories.



### **Fixture Bases**


Fixture bases are the foundation for special part applications, and are designed to function on most horizontal comparator stages.




### **User Ready Fixtures & Accessories**

User ready bases are complete for accepting various accessories to hold and present parts on comparator tables.

#### **Fixtures**




#### Accessories



### **Precision Scales & Calibration References**

To realize the maximum potential of your Visual Inspection System.

### No. 60



Our high resolution **Microrules** are the last word in linear scales. Microrules are extremely precise, and are used for the calibration of CMM vision systems and optical comparators. Our 6" glass scale is accurate to a micron.

All Microrules are inch/metric with vacuum-deposited chromium graduations. Integrated eyepeices for direct measurement of 2-D parts like circuit boards are available as options on the 12" & 25" units.


Scale Type	Overall	Increments		
	Length	Inch	Metric	
60-6	6"	.00100	.0250 mm	
60-12	12"	.00100	.0250 mm	
60-25 25"		.00200	.0500 mm	

#### No. 61

The Master Calibration Artifact was developed by request of technicians who make their living calibrating optical measuring machines.

This is a reference standard designed and manufactured without compromise. All scales and geometric elements are chromium, and include both units of measure. It provides rapid and accurate analysis of numerous mechanical and NC calculation and edge detection functions.

Approximate size of this glass reference is 5" x 7". It can be purchased individually, or as a kit that includes a level, fixture, and a case.



### No. 62

The **Mag-Checker** is designed to verify lens and image integrity by identifying errors in your optical comparator's magnification, light path, focus and defining areas of geometric distortion.

Utilizing linear scales and radii in conjunction with a group of dedicated precision ceramic spheres, the Mag-Checker defines radial and linear accuracy in seven (7) common comparator magnifications.

This scale is 14 inches in length. It can be purchased individually, or as a kit that includes a set of spheres, and a case. Other lengths available upon request.


### **Custom Sight Gages**


Fast, simple, and efficient

Sight gages are hand-held templates designed and built for rapid production checking. Image lines on the gage are compared to part features for visual determination of part accuracy and conformance to specification.

Our sight gages are rugged shop-floor tools with an optional sealed image for demanding environments. These are often used for size, form, location, and position checking.


Our sight templates are equipped with hardened rest buttons, precision position locating pins, and handles. We can design and manufacture to your specifications.






This sight template (shown left) checks the nominal joint face and combustion chambers, the location of the gasket sealing areas, non-weld areas and cored openings relative to the manufacturing holes.

### Lamps and Lightbulbs




For Optical Comparators & Precision Optical Equipment



### for these manufacturers

Baty Gagemaster	Nikon		
Bendix	OGP		
Deltronic	Scherr-Tumico		
J&L	Starrett		
MicroVu Vermont Precisi			
Mitutoyo	and many others		





All standard catalog items can be customized to fit your needs.

### Phone **248-546-7984**

FAX 248-546-7986

PAGES 1-7	Standard Charts	See Latest Price List
PAGE 8	Standard Hand Held Discs	See Latest Price List
PAGE 9	Standard Layout Scales To order a standard layout scale, please provide the catalog number. The catalog number specifies length of scale, magnification, increment, units, and material. Please specify clear or frosted material. Cases are also available.	See Latest Price List
10	Custom Charts  To order a custom chart please provide a sketch, part print, or CAD file (DXF preferred) so we may prepare a quotation to meet your design requirements. In addition, the order form blank on the opposite page should be included with your purchase order to provide comparator specifications that may influence chart characteristics.	Quotation provided per your requirements
PAGE 11	Custom Comparator Gaging Systems  To order a complete custom gaging system, please provide us with a part print or a CAD file (DXF preferred), as well as your fixture requirements. We will provide you with a quotation for a complete system.	Quotation provided per your requirements
12	Standard Comparator Fixtures	See Latest Price List
PAGE 13	Calibration References	See Latest Price List
PAGE 14	Custom Sight Gages  To order a sight gage, please provide a sketch, part print, or CAD file (DXF preferred) so that we may prepare a quotation for your design requirements. Sight gages are generally produced on Plexiglass.	Quotation provided per your requirements
14 14	Light Bulbs	Call for Pricing
INSIDE	Certification Services	Quotation provided per your requirements



Purchase Order #:	Please photocopy this for Fax completed form		
Ship via:	with your Purchase Order		
	FAX (248) 546-7986.		

BILL TO:	SHIP TO:			
Company Name	Company Name			
Address	Address			
Phone Fax	Phone Fax			
Contact	Contact			
GENERAL ORDER INFORMATION	COMPARATOR INFORMATION			
Quantity Catalog # (standard items)	Manufacturer			
Magnification Increments (if applica	Model #			
Choose: English or Metric (circle one)	Serial # (if available)			
	(circle one)			
GLASS REPLACEMENT SCREEN	kness Choose: Hard Image or Protected Image			
	(circle one)			
OPTIONAL FEATURES: Please indicate	is the representation of the second s			
	Optional features desired.  Drilled Holes? Yes or No			
Beveled Edges? Yes or No Chart Clip Lugs?	Optional features desired.  Drilled Holes? Yes or No  Yes or No  Quantity			
	Optional features desired.  Drilled Holes? Yes or No  Quantity  Hole Size			
Beveled Edges? Yes or No Chart Clip Lugs? on front(size X angle) Quantity	Optional features desired.  Drilled Holes? Yes or No  Yes or No  Quantity  Hole Size			
Beveled Edges? Yes or No Chart Clip Lugs? on front(size X angle) Quantity	Optional features desired.  Drilled Holes? Yes or No  Quantity  Hole Size  Or No  Orientation Orientation			
Beveled Edges? <b>Yes</b> or <b>No</b> Chart Clip Lugs? on front(size X angle) Quantity on rear(size X angle) Threaded? <b>Yes</b>	Optional features desired.  Drilled Holes? Yes or No  Quantity  Hole Size  Orientation  Orientation			
Beveled Edges? Yes or No Chart Clip Lugs? on front(size X angle) Quantity on rear(size X angle) Threaded? Yes  PLASTIC OVERLAY - Standard thickness of plastic is	Optional features desired.  Drilled Holes? Yes or No  Quantity  Hole Size  Or No  Orientation Orientation Orientation  Guantity			
Beveled Edges? Yes or No Chart Clip Lugs? on front(size X angle) Quantity on rear(size X angle) Threaded? Yes  PLASTIC OVERLAY - Standard thickness of plastic is Diameter Required(within 1/4")	Optional features desired.  Drilled Holes? Yes or No  Quantity  Hole Size  Or No  Orientation Orientation  Optional features desired.			
Beveled Edges? Yes or No Chart Clip Lugs? on front(size X angle) Quantity on rear(size X angle) Threaded? Yes  PLASTIC OVERLAY - Standard thickness of plastic is Diameter Required(within 1/4")  OPTIONAL FEATURES: Please indicate of the process of the plant	Optional features desired.  Prilled Holes? Yes or No  Quantity  Hole Size  Orientation Orientation Orientation  Optional features desired.  Chart clips? Yes or No			
Beveled Edges? Yes or No Chart Clip Lugs? on front(size X angle) Quantity on rear(size X angle) Threaded? Yes  PLASTIC OVERLAY - Standard thickness of plastic is Diameter Required(within 1/4")  OPTIONAL FEATURES: Please indicate of the control of the cont	Optional features desired.  Prilled Holes? Yes or No  Quantity  Hole Size  Orientation Orientation Orientation  Optional features desired.  Chart clips? Yes or No			
Beveled Edges? Yes or No Chart Clip Lugs? on front(size X angle) Quantity on rear(size X angle) Threaded? Yes  PLASTIC OVERLAY - Standard thickness of plastic is Diameter Required(within 1/4")  OPTIONAL FEATURES: Please indicate of the process of the plant	Optional features desired.  Prilled Holes? Yes or No  Quantity  Hole Size  Orientation Orientation Orientation  Optional features desired.  Chart clips? Yes or No			
Beveled Edges? Yes or No Chart Clip Lugs? on front(size X angle) Quantity on rear(size X angle) Threaded? Yes  PLASTIC OVERLAY - Standard thickness of plastic is Diameter Required(within 1/4")  OPTIONAL FEATURES: Please indicate of the control of the cont	Optional features desired.    Yes or No			
Beveled Edges? Yes or No Chart Clip Lugs? on front	Optional features desired.    Yes or No			

Include another sheet with specifications and a sketch. Please submit a drawing, blueprint, or CAD file (ACADr12, DXF, or IGS format) when requesting a custom screen or overlay.



### VISUAL PRECISION, INC.

Madison Heights., Michigan
Phone 248.546.7984 Fax 248.546.7986
Website http://www.vpcharts.com

Optical Comparator Charts, Scales, Fixtures & Accessories

ISO 9001 Registered

### Why choose Visual Precision?

- \* We vigorously maintain the high standards that have established Visual Precision as the benchmark in the field of Optical Comparator accessories.
- \* We have the means today of creating a chart for your comparator in any size, shape, color, or quantity; with any image you require.
- \* Our production techniques have grown from hand-held scribers and paint brushes to using computers & customized NC software driven etching and photo-plotting tables.
- \* For over 35 years we have been making optical comparator charts, fixtures, sight gages and precision scales.
- \* We have satisfied customers the world over.





ON-LINE INFORMATION

otto://www.vpcharts.com

DISTRIBUTED	BY:			